

CLAIMS

1. A sewing thread containing 30% by weight or more of a poly(trimethylene terephthalate)-based staple fiber, and showing a breaking elongation of 30 to 100%
5 and an instantaneous elastic recovery at a 5% elongation of 30 to 75%.

2. The sewing thread according to claim 1, wherein the elastic recovery at a 20% elongation is 60% or more.

3. A sewing thread according to claim 1, wherein
10 the elastic recovery at a 30% elongation is 60% or more.

4. Sewn fabric articles wherein the seams of the sewn fabric articles are formed with the sewing thread according to any one of claims 1 to 3.

5. The sewn fabric articles according to claim 4,
15 wherein the sewn fabric articles are stretchable ones.